



Safety Data Sheet

1. IDENTIFICATION

- **Product Name:** Magic Holo Micro Flakes
 - **Intended Use:** Pigment/Special Effect Additive for Nail Polish
 - **Distributor:** Glitter Unique
 - **Address:** 1032 N. Crooks Rd. Suite M, Clawson, MI 48017 USA
 - **Contact:** Tel: 248-825-9694 | Email: MSDS@GLITTERUNIQUE.COM
-

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Liquids — Category 2

Serious Eye Irritation — Category 2A

Specific Target Organ Toxicity (Single Exposure) — Category 3

Signal Word: Danger

Hazard Statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS	Concentration
n-Butyl Acetate	123-86-4	70 – 90 %
Acetone	67-64-1	20 – 30 %
Aluminum Pigment	7429-90-5	<5 %

Actual concentrations may vary slightly due to proprietary formulation.



Safety Data Sheet

4. FIRST AID MEASURES

Inhalation

Move person to fresh air. Seek medical attention if symptoms persist.

Skin Contact

Wash with soap and water. Remove contaminated clothing.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses if present. Continue rinsing.

Ingestion

Do not induce vomiting. Seek medical attention if symptoms occur.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical
Alcohol-resistant foam
Carbon dioxide
Dry sand

Unsuitable Extinguishing Media

High-pressure water streams.

Vapors may form explosive mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

Remove ignition sources.



Safety Data Sheet

Ventilate the area.

Contain spill using absorbent materials such as:

- sand
- earth
- vermiculite

Collect material in appropriate containers for disposal.

Prevent product from entering drains or waterways.

7. HANDLING AND STORAGE

Keep away from:

- heat
- sparks
- open flames
- static discharge

Use only in well-ventilated areas.

Store containers tightly closed in a cool, dry place.

Use explosion-proof equipment when handling large quantities.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Use local exhaust ventilation when handling solvents.

Personal Protective Equipment



Safety Data Sheet

Eye Protection

Safety goggles

Hand Protection

Solvent-resistant gloves (butyl rubber recommended)

Respiratory Protection

Use respirator if vapor concentrations exceed exposure limits.

Protective Clothing

Impervious clothing when handling large quantities.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Silver

Odor: Solvent odor

Boiling Point: ~56°C

Flash Point: -4°C

Density: ~0.79 g/cm³

Solubility in Water: Insoluble

10. STABILITY AND REACTIVITY

Stable under recommended storage conditions.

Avoid:

- heat
- sparks
- open flame
- oxidizing agents



Safety Data Sheet

- strong acids
- strong bases

Vapors may form explosive mixtures with air.

11. TOXICOLOGICAL INFORMATION

Exposure may cause:

- eye irritation
- dizziness
- drowsiness
- respiratory irritation from vapors.

No components are classified as carcinogenic at relevant concentrations.

12. ECOLOGICAL INFORMATION

No specific ecological data available.

Avoid uncontrolled release to the environment.

13. DISPOSAL CONSIDERATIONS

Dispose of product and containers in accordance with local, state, and federal regulations.

Do not discharge into drains or waterways.

14. TRANSPORT INFORMATION

DOT / IATA / IMDG



Safety Data Sheet

UN Number: UN1263
Proper Shipping Name: Paint
Hazard Class: 3
Packing Group: II

Flammable Liquid

15. REGULATORY INFORMATION

Components are listed on the **TSCA Inventory**.

Product may contain trace metals regulated under certain regional regulations.

16. OTHER INFORMATION

This information is provided for health and safety guidance and is based on currently available data. It should not be interpreted as guaranteeing specific product properties.