

1. PRODUCT AND COMPANY IDENTIFICATON

| Product Name | 21 Free Shiny Top Coat |
|--------------|------------------------|
| Application | Nail Polish |

| Supplied By | Glitter Unique |
|-------------|--------------------------------|
| | 1032 N Crooks Rd, Suite M |
| | Clawson, MI 48017 USA |
| | 1-248-825-9694 |
| | <u>hello@glitterunique.com</u> |

2. HAZARDS IDENTIFICATION

| Flammable liquids, Category 2 | H225 |
|--|------|
| Serious eye damage/eye irritation, Category 2 | H319 |
| Specific target organ toxicity – single exposure, Category 3, Narcosis | H336 |

Highly flammable liquid and vapor. May cause drowsiness or dizziness. Causes serious eye irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Name | CAS | Concentration | |
|-----------------------------|------------|---------------|--|
| n-butyl acetate | 123-86-4 | ≥ 25 - < 50 | |
| ethyl acetate | 141-78-6 | ≥ 25- < 50 | |
| Isopropyl alcohol | 67-63-0 | 2.550000025 - | |
| | | 5.10000005 | |
| DIPROPYLENEGLYCOLDIBENZOATE | 27138-31-4 | ≥ 1- < 5 | |
| BENZOPHENONE-1 | 131-56-6 | ≥ 0.1- < 1 | |

4. FIRST AID MEASURES

General Call a poison center or doctor if you feel unwell

Inhalation Move to fresh air and keep comfortable for breathing

Skin Contact Rinse skin with water/shower. Immediately remove all contaminated clothing

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, get medical



advice or attention.

Ingestion Call a poison center or doctor if you feel unwell

5. FIREFIGHTING MEASURES

Suitable extinguishing mediaWater spray. Dry powder. Foam. Carbon Dioxide.Fire HazardHighly Flammable liquid and vapor.Hazardous decomposition products in case of fireToxic fumes

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures Ventilate spillage area. No open flames, no sparks, no smoking. Avoid breathing dust/fume/gas/mist/vapor/spray. Avoid contact with skin and eyes.

Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Avoid release into the environment.

7. HANDLING AND STORAGE

Safe Handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapor/ spray. Avoid contact with skin and eyes.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Storage Conditions Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| n-butyl acetate (123-86-4) | | |
|---|-----------------------|--|
| EU- Indicative Occupational Exposure Limit (IOEL) | | |
| Name n-butyl acetate | | |
| IOEL TWA | 241 mg/m ³ | |



Safety Data Sheet

| IOEL TWA (ppm) | 50 ppm | |
|---|-------------------------------------|--|
| IOEL STEL | 723 mg/m ³ | |
| IOEL STEL (ppm) | 150 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2019/1831 | |
| Ethyl acetate (141-78-6) | | |
| EU- Indicative Occupational Exposure Limit (IOEL) | | |
| Name Ethyl Acetate | | |
| IOEL TWA | 734 mg/m ³ | |
| IOEL TWA (ppm) | 200 ppm | |
| IOEL STEL | 1468 mg/m ³ | |
| IOEL STEL (ppm) | 400 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 | |

Appropriate Engineering Controls

Ensure good ventilation of the workstation.

Personal Protective Equipment

Gloves. Safety Glasses. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical State | Liquid |
|--|------------------------------|
| Appearance | Viscous liquid |
| Color | Transparent. Various Colours |
| Odor | Solvents |
| Odor Threshold | 50 ppm ethyl acetate |
| | 7 -20 mg/m³ n-butyl acetate |
| Relative Evaporation Rate (butyl acetate =1) | No data available |
| Vapour Pressure | 100 hPa ethyl acetate |
| Relative Evaporation Rate (ether=1) | < 1 |
| Boiling Point | 77 ° C ethyl acetate |
| Flash point | -4° C |
| Auto-ignition temperature | 460° C ethyl acetate |
| Relative vapor density at 20° C | 3.04 ethyl acetate |
| Relative density | No Data |
| Solubility | No Data |



10. STABILITY AND REACTIVITY

| Reactivity | Highly Flammable liquid and vapor | |
|------------------------------------|--|--|
| Chemical Stability | Stable under normal conditions. | |
| Possibility of hazardous reactions | No dangerous reactions known under | |
| | normal conditions of use. | |
| Conditions to Avoid | Avoid contact with hot surfaces. Heat. | |
| | No flames, no sparks. Eliminate all | |
| | sources of ignition. | |
| Incompatible Materials | No additional information available. | |
| Hazardous decomposition products | Under normal conditions of storage and | |
| | use, hazardous decomposition | |
| | products should not be produced. | |

11. TOXICOLOGICAL INFORMATION

This product has not been tested on animals for safety evaluation. Information on the safety of individual ingredients may be available from publicly available sources but is not included in this document.

12. ECOLOGICAL INFORMATION

| Ecology – general | This product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
|--|--|
| Hazardous to aquatic environment, short term (acute) | Not classified. |
| Hazardous to aquatic environment, long term (chronic) Not rapidly degradable | Not classified. |

13. DISPOSAL CONSIDERATIONS

Waste Treatment MethodsDispose of contents/container in accordance
with licensed collectors sorting instructionsAdditional InformationFlammable vapors may accumulate in the
container.

14. TRANSPORT INFORMATION



In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-----------------|----------------------------|-----------------|-----------------|-----------------|
| | Transport Hazard Class(es) | | | |
| 3 3 3 3 | | | 3 | |
| | | | | |
| Packing Group | | | | |
| II | Π | II | II | II |
| | Environmental Hazards | | | |
| Dangerous for | Dangerous for | Dangerous for | Dangerous for | Dangerous for |
| the | the | the | the | the |
| environment: No | environment: No | environment: No | environment: No | environment: No |
| | Marine | | | |
| | pollutant: No | | | |

15. REGULATORY INFORMATION

No additional information available.

16. Other Information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.