



# Safety Data Sheet

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Get-a-Grip Base Coat

**Application:** Nail Polish Base Coat

**Supplier:** Glitter Unique, LLC

1032 N Crooks Rd, Suite M

Clawson, MI 48017 USA

248-825-9694

hello@glitterunique.com

---

## 2. HAZARDS IDENTIFICATION

### Classification (GHS)

Flammable liquids — Category 2

Eye irritation — Category 2

STOT SE — Category 3 (Narcotic effects)

**Signal Word:** Danger

### Hazard Statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause respiratory irritation.

May cause drowsiness or dizziness.

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS	Concentration
Butyl acetate	123-86-4	5 – 50 %
Ethyl acetate	141-78-6	5 – 35 %
Isopropyl alcohol	67-63-0	0.1 – 15 %
n-Butyl alcohol	71-36-3	1 – 10 %



## Safety Data Sheet

Ingredient	CAS	Concentration
Acetyl Tributyl Citrate	77-90-7	1 – 10 %

---

### 4. FIRST AID MEASURES

**General:** Remove person to fresh air and keep comfortable for breathing.

**Inhalation:** Move to fresh air. If breathing is irregular, seek medical attention.

**Skin Contact:** Wash with plenty of soap and water. Remove contaminated clothing.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses if present and continue rinsing. Seek medical advice if irritation persists.

**Ingestion:** Call a poison center or doctor if you feel unwell.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Fire hazard:

Flammable vapors may form explosive mixtures with air. Toxic fumes may be released during fire.

---

### 6. ACCIDENTAL RELEASE MEASURES

Remove all ignition sources.

Ensure adequate ventilation.

Absorb with inert material and dispose as hazardous waste.

Prevent entry into drains or waterways.

---

### 7. HANDLING AND STORAGE

Avoid inhalation and skin contact.

Use in well-ventilated area.



## Safety Data Sheet

Keep away from heat, sparks, open flames.  
Store tightly closed in a cool, dry, ventilated area.

---

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Use adequate ventilation to maintain exposure below limits.

**PPE:**

Safety glasses or goggles  
Protective gloves  
Protective clothing  
Respirator if ventilation is insufficient

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid  
Odor: Solvent odor  
Boiling Point: ~77°C  
Flash Point: -4°C  
Relative Density: ~1  
Vapor Density: 3.04 (ethyl acetate)  
Explosion Limit: 1.2 vol%

---

### 10. STABILITY AND REACTIVITY

Stable under normal conditions.  
Avoid heat, sparks, open flames.  
Incompatible with strong oxidizers, acids, bases, and halogenated compounds.

---

### 11. TOXICOLOGICAL INFORMATION



## Safety Data Sheet

Likely routes of exposure: inhalation, skin contact, eye contact, ingestion.  
Causes skin and eye irritation.  
May cause respiratory irritation and drowsiness or dizziness.

---

### 12. ECOLOGICAL INFORMATION

No data available on mixture.  
Avoid release to the environment.

---

### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations.

---

### 14. TRANSPORT INFORMATION

UN Number: 1263  
Proper Shipping Name: PAINT  
Hazard Class: 3  
Packing Group: II  
Marine Pollutant: No

---

### 15. REGULATORY INFORMATION

SARA 311/312 Hazards:  
Fire Hazard, Acute Health Hazard, Chronic Health Hazard.

---

### 16. OTHER INFORMATION



## **Safety Data Sheet**

This information is based on current knowledge and is intended to describe the product for health, safety and environmental requirements only.